

L Number	Hits	Search Text	DB	Time stamp
-	221	("miller, kevan" "strom, robert" "sturman, daniel" "ward, michael").in.	USPAT; US-PGPUB	2003/06/29 21:44
-	15	("miller, kevan" "strom, robert" "sturman, daniel" "ward, michael").in. and (709/\$.ccls. 370/\$.ccls. quiesc\$3)	USPAT; US-PGPUB	2003/06/09 19:18
-	169	(international adj business adj machines ibm).asn. and (publish\$3 with subscrib\$3 quiesc\$3) and (370/\$.ccls. 709/\$.ccls.)	USPAT; US-PGPUB	2003/06/09 19:36
-	0	(international adj business adj machines ibm).asn. and (publish\$3 with subscrib\$3 and quiesc\$3) and (370/\$.ccls. 709/\$.ccls.)	USPAT; US-PGPUB	2003/06/09 21:04
-	7	370/256.ccls. and reconfigur\$5.ab,ti.	USPAT; US-PGPUB	2003/06/13 16:35
-	0	370/256.ccls. and 370/412.ccls.	USPAT; US-PGPUB	2003/06/09 21:08
-	34	370/256.ccls. and reconfigur\$5	USPAT; US-PGPUB	2003/06/09 21:10
-	23	spanning adj tree and quiesc\$3	USPAT; US-PGPUB	2003/06/09 21:16
-	6	reconfigur\$5 same (spanning adj tree child parent root) same queu\$3 and (370/\$.ccls. 709/\$.ccls.)	USPAT; US-PGPUB	2003/06/09 21:19
-	27	(spanning adj tree child parent root) and reconfigur\$5 same queu\$3 and (370/\$.ccls. 709/\$.ccls.)	USPAT; US-PGPUB	2003/06/09 21:19
-	21	((spanning adj tree child parent root) and reconfigur\$5 same queu\$3 and (370/\$.ccls. 709/\$.ccls.)) not (reconfigur\$5 same (spanning adj tree child parent root) same queu\$3 and (370/\$.ccls. 709/\$.ccls.))	USPAT; US-PGPUB	2003/06/09 21:24
-	11	370/254-256.ccls. and 370/412-418,428-429.ccls.	USPAT; US-PGPUB	2003/06/13 16:34
-	39	spanning adj tree and 370/412-418,428-429.ccls.	USPAT; US-PGPUB	2003/06/09 21:29
-	1	spanning adj tree and block\$3 with queu\$3 and block\$3 with (all each every) adj (node\$1 port\$1 switch\$2)	USPAT; US-PGPUB	2003/06/09 21:31
-	87	spanning adj tree and block\$3 with queu\$3	USPAT; US-PGPUB	2003/06/09 21:31
-	1	370/394.ccls. and reconfigur\$5.ab,ti.	USPAT; US-PGPUB	2003/06/13 16:36
-	21	370/394.ccls. and reconfigur\$5	USPAT; US-PGPUB	2003/06/13 16:37
-	63	370/394.ccls. and 370/412-418,428-429.ccls.	USPAT; US-PGPUB	2003/06/13 16:42
-	14	quiesc\$3 with (first adj in fifo)	USPAT; US-PGPUB	2003/06/14 11:51
-	22	(preserv\$3 maintain\$3 keep\$3) with (sequenc\$3 order\$3) with reconfigur\$5 and (709/\$ 370/\$.ccls.)	USPAT; US-PGPUB	2003/06/14 11:51
-	41	(preserv\$3 maintain\$3 keep\$3) near4 (sequenc\$3 order\$3) near4 (data packet\$1 cell\$1) and reconfigur\$5.ab,ti.	USPAT; US-PGPUB	2003/06/14 12:03
-	40	((preserv\$3 maintain\$3 keep\$3) near4 (sequenc\$3 order\$3) near4 (data packet\$1 cell\$1) and reconfigur\$5.ab,ti.) not ((preserv\$3 maintain\$3 keep\$3) with (sequenc\$3 order\$3) with reconfigur\$5 and (709/\$ 370/\$.ccls.))	USPAT; US-PGPUB	2003/06/14 12:06
-	53	370/254-256.ccls. and spanning adj tree and (fifo first adj in first-in sequenc\$3)	USPAT; US-PGPUB	2003/06/14 12:09
-	15	370/254-256.ccls. and spanning adj tree and (fifo first adj in first-in sequenc\$3) with packet\$1	USPAT; US-PGPUB	2003/06/14 12:11

-	5	reconfigur\$5 with spanning adj tree and (fifo first adj in first-in sequenc\$3) with packet\$1	USPAT; US-PGPUB	2003/06/14 12:13
-	10	reconfigur\$5 with spanning adj tree and (audio video real-time real adj time)	USPAT; US-PGPUB	2003/06/14 12:15
-	3	reconfigur\$5 with spanning adj tree and (cell packet\$1 data) near1 (order\$3 sequenc\$3)	USPAT; US-PGPUB	2003/06/14 12:16
-	7	updat\$3 with spanning adj tree and (cell packet\$1 data) near1 (order\$3 sequenc\$3)	USPAT; US-PGPUB	2003/06/14 12:17
-	42	370/\$.ccls. and reconfigur\$5 same (cell packet\$1 data) near1 (order\$3 sequenc\$3)	USPAT; US-PGPUB	2003/06/14 12:22
-	1	"20020052936"	USPAT; US-PGPUB	2003/06/14 12:23
-	7	"6112249"	USPAT; US-PGPUB	2003/06/14 12:24
-	15	("4076961"   "4577182"   "4718079"   "4856047"   "4887290"   "4910763"   "4995035"   "5002387"   "5005122"   "5125021"   "5128979"   "5134644"   "5426773"   "5448723"   "5454024").PN.	USPAT; USPAT	2003/06/14 12:24
-	1	"6542934"	USPAT; US-PGPUB	2003/06/14 12:25
-	19	("4076961"   "4577182"   "4718079"   "4856047"   "4887290"   "4910763"   "4926414"   "4995035"   "5002387"   "5005122"   "5125021"   "5128979"   "5134644"   "5426773"   "5448723"   "5454024"   "5757769"   "5892451"   "6038219").PN.	USPAT; USPAT	2003/06/14 12:25
-	5	"5608649"	USPAT; US-PGPUB	2003/06/14 12:27
-	8	("4864559"   "5079767"   "5150360"   "5245609"   "5280480"   "5425021"   "5459725"   "5483522").PN.	USPAT; USPAT	2003/06/14 12:27
-	9	((("5257369") or ("5325362") or ("5517562") or ("5522046") or ("5555244") or ("5557798") or ("5570366") or ("5581764") or ("5604867"))).PN.	USPAT; US-PGPUB	2003/06/14 12:35
-	3	370/254-256.ccls. and 370/394.ccls.	USPAT; US-PGPUB	2003/06/22 15:01
-	31	370/254-256.ccls. and (queue\$3 fifo hold\$3 delay\$3 wait\$3).ab,ti.	USPAT; US-PGPUB	2003/06/22 15:07
-	299	370/254-256.ccls. and (queue\$3 fifo hold\$3 delay\$3 wait\$3) near8 (packet\$1 message\$1 data\$1)	USPAT; US-PGPUB	2003/06/22 15:25
-	55	(709/\$.ccls. 370/\$.ccls.) and (non-disruptive\$2 nondisruptive\$2 reconfigur\$5 re-configur\$5) near4 (rout\$3 path\$1 link\$1) same (queue\$3 fifo hold\$3 delay\$3 wait\$3 buffer\$3 memor\$3) with (packet\$1 message\$1 data\$1 cell\$1)	USPAT; US-PGPUB	2003/06/26 20:36
-	129	(709/\$.ccls. 370/\$.ccls.) and (non-disruptive\$2 nondisruptive\$2 reconfigur\$5 re-configur\$5) same (rout\$3 path\$1 link\$1).ab,ti. and (queue\$3 fifo hold\$3 delay\$3 wait\$3 buffer\$3 memor\$3) with (packet\$1 message\$1 data\$1 cell\$1)	USPAT; US-PGPUB	2003/06/22 16:13
-	82	(prevent\$3 stop\$3) near5 (transmission transmit\$3 transfer\$3 send\$3) near5 (cell\$1 packet\$1 data\$1) and spanning adj tree	USPAT; US-PGPUB	2003/06/26 20:51

-	462	(709/\$.ccls. 370/\$.ccls.) and (non-disruptive\$2 nondisruptive\$2 updat\$3 reconfigur\$5 re-configur\$5 table\$1 spanning) near3 (rout\$3 path\$1 link\$1) with (queue\$3 fifo hold\$3 wait\$3 buffer\$3 memor\$3) near3 (packet\$1 message\$1 data\$1 cell\$1)	USPAT; US-PGPUB	2003/06/26 20:53
-	45	(reconfigur\$5 configur\$5) near3 (all every) adj (node\$1 switch\$3 router\$1 hub\$1)	USPAT; US-PGPUB	2003/06/26 20:56
-	7	(reconfigur\$5 re-configur\$5 configur\$3) near3 (all every) adj (node\$1 switch\$3 router\$1 hub\$1)	USPAT; US-PGPUB	2003/06/26 20:57
-	62	(reconfigur\$5 re-configur\$5 configur\$3) with (all every) adj (node\$1 switch\$3 router\$1 hub\$1)	USPAT; US-PGPUB	2003/06/26 20:57
-	26	(reconfigur\$5 re-configur\$5 configur\$3) with (all every) adj (node\$1 switch\$3 router\$1 hub\$1) and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:02
-	0	(reconfigur\$5 re-configur\$5 configur\$3) near4 the adj network\$1 and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:02
-	0	(reconfigur\$5 re-configur\$5 configur\$3) near4 "the" adj network\$1 and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:03
-	0	(reconfigur\$5 re-configur\$5 configur\$3) near4 "the network" and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:03
-	17	(reconfigur\$5 re-configur\$5 configur\$3) near4 (entirety entire) near2 network\$1 and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:07
-	10	370/218-228.ccls. and 370/254-258.ccls. and entire adj network	USPAT; US-PGPUB	2003/06/26 21:07
-	19	370/218-228.ccls. and 370/254-258.ccls. and ((every all) adj (node\$1 switch\$2 router\$2 hub\$2) entire adj network)	USPAT; US-PGPUB	2003/06/26 21:11
-	1	370/218-228.ccls. and 370/412-418.ccls. and ((every all) adj (node\$1 switch\$2 router\$2 hub\$2) entire adj network)	USPAT; US-PGPUB	2003/06/26 21:10
-	13	370/218-228.ccls. and 370/412-418.ccls.	USPAT; US-PGPUB	2003/06/26 21:10
-	5	370/254-258.ccls. and 370/412-418.ccls.	USPAT; US-PGPUB	2003/06/26 21:11
-	85	(spanning adj tree routing adj table\$1) with ((every all) adj (node\$1 switch\$2 router\$2 hub\$2) entire adj network)	USPAT; US-PGPUB	2003/06/26 21:12
-	82	"5088091"	USPAT; US-PGPUB	2003/06/26 21:19
-	156	"5088091" "5138615"	USPAT; US-PGPUB	2003/06/26 21:19
-	500	(queue\$4 buffer\$3 stor\$3 hold\$3) with (cell\$1 packet\$1 message\$1 data) with (during while) near2 (reconfigur\$5 updat\$3)	USPAT; US-PGPUB	2003/06/26 21:22
-	25	(queue\$4 buffer\$3 stor\$3 hold\$3) with (cell\$1 packet\$1 message\$1 data) with (during while) near2 (reconfigur\$5 updat\$3) and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:23
-	20	(queue\$4 buffer\$3 stor\$3 hold\$3) near5 (cell\$1 packet\$1 message\$1 data) with (during while) near2 (reconfigur\$5 updat\$3) and 370/\$.ccls.	USPAT; US-PGPUB	2003/06/26 21:24
-	0	(queue\$4 buffer\$3 stor\$3 hold\$3) near5 (cell\$1 packet\$1 message\$1 data) with (during while) near2 (reconfigur\$5 updat\$3) same (spanning adj tree routing adj table\$1)	USPAT; US-PGPUB	2003/06/26 21:28
-	4	(queue\$4 buffer\$3 stor\$3 hold\$3) near5 (cell\$1 packet\$1 message\$1 data) near5 (during while) with (spanning adj tree routing adj table\$1)	USPAT; US-PGPUB	2003/06/26 21:41
-	3	(recalculat\$5 recomput\$5 reconfigur\$5) with distributed same spanning adj tree\$1	USPAT; US-PGPUB	2003/06/29 18:45

-	12	(recalculat\$5 recomput\$5 reconfigur\$5)	USPAT;	2003/06/29
-		with distributed and spanning adj tree\$1	US-PGPUB	18:52
-	19	(recalculat\$5 recomput\$5 reconfigur\$5)	USPAT;	2003/06/29
-		with distributed and 370/241-258.ccls.	US-PGPUB	18:53
-	18	((recalculat\$5 recomput\$5 reconfigur\$5)	USPAT;	2003/06/29
-		with distributed and 370/241-258.ccls.)	US-PGPUB	19:00
-		not ((recalculat\$5 recomput\$5		
-		reconfigur\$5) with distributed and		
-		spanning adj tree\$1)		
-	156	"5088091" "5138615"	USPAT;	2003/06/29
-			US-PGPUB	19:07
-	88	("5088091" "5138615") and (cell\$1 data\$1	USPAT;	2003/06/29
-		packet\$1) near6 (queue\$3 buffer\$3)	US-PGPUB	19:01
-	97	"5088091" "5138615" and reconfiguration	USPAT;	2003/06/29
-			US-PGPUB	19:08
-	88	("5088091" "5138615") and (cell\$1 data\$1	USPAT;	2003/06/29
-		packet\$1) near6 (queue\$3 buffer\$3)	US-PGPUB	19:19
-	34	("5088091" "5138615") and (cell\$1 data\$1	USPAT;	2003/06/29
-		packet\$1) near6 (queue\$3 buffer\$3) and	US-PGPUB	19:26
-		(reconfigur\$5 recomput\$5 recalculat\$3)		
-	152	(dec digital adj equipment).asn. and	USPAT;	2003/06/29
-		reconfigur\$5	US-PGPUB	19:27
-	38	(dec digital adj equipment).asn. and	USPAT;	2003/06/29
-		reconfigur\$5 and 370/\$.ccls.	US-PGPUB	19:27
-	181	reconfigur\$5 with (queue\$3)	USPAT;	2003/06/30
-			US-PGPUB	04:00
-	6	reconfigur\$5 with (queue\$3) with packet\$1	USPAT;	2003/06/30
-			US-PGPUB	04:01
-	17	spanning adj tree same(queue\$3) with	USPAT;	2003/06/30
-		packet\$1	US-PGPUB	04:03
-	2	epoch same spanning adj tree	USPAT;	2003/06/30
-			US-PGPUB	04:03
-	21	(reconfigur\$5 recalculat\$3 recomput\$5)	USPAT;	2003/06/30
-		same spanning adj tree and (queue\$3	US-PGPUB	04:04
-		buffer\$3) with (packet\$1 data)		
-	226	publish with subscribe and switch\$2	USPAT;	2003/06/30
-			US-PGPUB	04:59
-	1	("6336119").PN.	USPAT;	2003/06/30
-			US-PGPUB	04:59
-	72	publish with subscribe and switch\$2 and	USPAT;	2003/06/30
-		(@ad<=19990330 @rlad<=19990330)	US-PGPUB	05:04
-	51	publish with subscribe and router\$1 and	USPAT;	2003/06/30
-		(@ad<=19990330 @rlad<=19990330)	US-PGPUB	05:04
-	12	(publish with subscribe and router\$1 and	USPAT;	2003/06/30
-		(@ad<=19990330 @rlad<=19990330)) not	US-PGPUB	05:13
-		(publish with subscribe and switch\$2 and		
-		(@ad<=19990330 @rlad<=19990330))		
-	217	publish\$2 with subscribe\$1 and (node\$1	USPAT;	2003/06/30
-		swtich\$2 router\$1) and (@ad<=19990330	US-PGPUB	05:21
-		@rlad<=19990330)		
-	77	publish\$2 with subscribe\$1 same broker	USPAT;	2003/06/30
-			US-PGPUB	05:21
-	79	publish\$2 with subscribe\$1 same broker\$1	USPAT;	2003/06/30
-			US-PGPUB	05:34
-	141	"5557798"	USPAT;	2003/06/30
-			US-PGPUB	05:35